

## MIRKA® DEOS ORBITAL SANDERS

The Mirka® DEOS orbital sanders are powerful yet compact, with a very low profile that gives a high level of manoeuvrability. An integrated vibration sensor makes it possible to view the level of vibration using the my Mirka® app using an in-app purchase.

- > Compact, low profile and ergonomic design giving a high level of manoeuvrability for precise and efficient sanding
- > The rectangular design of the sander, primarily designed for the wood and furniture construction industry, allows for sanding into corners and tighter angles that other circular sanders can't reach
- > Smaller size and low profile build
- > Comfortable grip
- > Easy to operate lever to control motor speed
- > 250W brushless motor technology
- > Separate on/off switch for easy and safe handling
- > Features an integrated vibration sensor and Bluetooth low energy technology
- > The vibration sensor makes it possible to view the current vibration level through the my Mirka® app; an in-app purchase allows the follow-up of daily vibration exposure



Sleeve for cable, Cat. No. 005.11.334, available to order separately - protects work surface and makes handling easier.

### Mirka® DEOS 663CV Delta sander, 230V, 100 x 152 x 152mm



- > Technical data
  - Weight: 0.97 kg
  - Noise level, LpA: 68 dB
  - Vibration level: 2.6 m/s<sup>2</sup>
  - Power input: 250 W
  - Size of pad: 70 x 198 mm
  - Speed: 5000-10000/min rpm
  - Voltage main supply (VAC) 220-240V
  - Main frequency: 50/60 Hz
  - Orbit: 3 mm
  - Connectivity: Bluetooth
  - Dust system: Central vacuum ready
- > 2+1\* year manufacturers warranty (\*subject to online registration)
- > Supplied with:
  - 100 x 152 x 152 mm backing pad
- > Order qty: 1 pc



Abranet sanding sheets, 100 x 152 x 152 mm, are available to order - information on request

	Cat. No.
Mirka® DEOS sander, 100 x 152 x 152mm	005.11.333

## Mirka® DEOS 353CV orbital sander with case, 230V, 81 x 133 mm



- > Technical data
  - Weight: 0.97 kg
  - Noise level, LpA: 69 dB
  - Vibration level: 2.6 m/s<sup>2</sup>
  - Power input: 250 W
  - Size of pad: 81 x 133 mm
  - Speed: 5000-10000/min rpm
  - Voltage main supply (VAC) 220-240V
  - Main frequency: 50/60 Hz
  - Orbit: 3 mm
  - Connectivity: Bluetooth
  - Dust system: Central vacuum ready
- > 2+1\* year manufacturers warranty (\*subject to online registration)
- > Supplied with:
  - 81 x 133 mm backing pad
  - Plastic case, 300 x 400 x 158 mm
- > Order qty: 1 pc



Abranet sanding sheets, 81 x 133 mm, e.g. 005.58.160 are available to order separately

	Cat. No.
Mirka® DEOS sander, 81x 133 mm	005.11.384


## Interface for Mirka® DEOS 353CV orbital sander, 81 x 133 mm



- > Suitable for hand sanding and for Mirka® DEOS 353CV orbital sander, 81 x 133 mm
- > Used in combination with grip sanding sheets for sanding rounded surfaces and contours
- > Using the interface pad will produce a softer result
- > Placed between the backing pad and the sanding sheet
- > 7 mm thick
- > 1 pack includes: 5x interface pads
- > Order qty: 1 pack

	Cat. No.
Interface pack	005.58.530

## Backing pad for Mirka® DEOS 353CV orbital sander, 81 x 133 mm



- > Backing pad for Mirka® DEOS 353CV orbital sander, 81 x 133 mm
- > Order qty: 1 pc

	Cat. No.
Backing pad	005.58.531

## Mirka® DEOS 383CV orbital sander, 230V, 70 x 198 mm



- > Technical data
  - Weight: 1.0 kg
  - Noise level, LpA: 71 dB
  - Vibration level: 2.6 m/s<sup>2</sup>
  - Power input: 250 W
  - Size of pad: 70 x 198 mm
  - Speed: 5000-10000/min rpm
  - Voltage main supply (VAC) 220-240V
  - Main frequency: 50/60 Hz
  - Orbit: 3 mm
  - Connectivity: Bluetooth
  - Dust system: Central vacuum ready
- > 2+1\* year manufacturers warranty (\*subject to online registration)
- > Supplied with:
  - 70 x 198 mm backing pad
- > Order qty: 1 pc



Abranet sanding sheets, 70 x 198 mm, are available to order - information on request

	Cat. No.
Mirka® DEOS sander, 70 x 198 mm	005.11.392