
VS COR Flex pull out corner unit complete set



- > Installed height: 530 mm
- > Built-in depth: 480 mm
- > For minimum cabinet width 900 mm or 1000 mm
- > Clearance between rear of front baskets and cabinet door when unit is fully extended is 40 mm
- > Every set comes complete with fixing materials and fitting instructions
- > Set includes:
 - 1x Frame set:

Hanging frames and base mounting track; silver or lava grey epoxy coated tubular steel

Front and back frames; silver or lava grey epoxy coated tubular steel

- 1x Basket set:
- 2x Storage baskets (rear)
- 2x Storage baskets (door)
- Order qty: 1 set

















Manual pull-out action - rear baskets extend outside of cabinet allowing full access

VS COR Flex corner unit with Planero lava grey metal baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Planero lava grey	548.29.343	548.29.344	

TCH DESIGN 2017, © Häfele U.K. Ltd 2017.



VS COR Flex corner unit with Premea white solid base chrome wire baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Premea white base	548.29.233	548.29.234	

VS COR Flex corner unit with Premea grey solid base silver wire baskets




For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Premea grey base	548.29.923	548.29.924	

VS COR Flex corner unit with Saphir mesh chrome wire baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Saphir mesh	548.29.213	548.29.214	

VS COR Flex corner unit with Classic chrome wire baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Classic linear chrome	548.29.203	548.29.204	

VS COR Flex corner unit with Classic silver wire baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Classic linear silver	548.29.903	548.29.904	

PAGE AMENDED **17.08.17/1**

TCH DESIGN 2017, © Häfele U.K. Ltd 2017. Dimensional data not binding. We reserve the right to alter specifications without notice.

Flex Corner® pull out corner unit complete set

- > Installed height: 530 mm
- > Built-in depth: 480 mm
- > For minimum cabinet width 900 mm or 1000 mm
- Clearance between rear of front baskets and cabinet door when unit is fully extended is 40 mm
- > Every set comes complete with fixing materials and fitting instructions
- > Set includes:
 - 1x Frame set:

Hanging frames and base mounting track; silver epoxy coated tubular steel

Front and back frames; silver epoxy coated tubular steel

- 1x Basket set:
- 2x Storage baskets (rear)
- 2x Storage baskets (door)



















Manual pull-out action - rear baskets extend outside of cabinet allowing full access

TCH DESIGN 2017, © Häfele U.K. Ltd 2017. Dimensional data not binding. We reserve the right to



Flex Corner® corner unit with Premea white solid base chrome wire baskets




For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Premea white base	548.29.233	548.29.234	

Flex Corner® corner unit with Premea grey solid base silver wire baskets




For cabinet width	200 i	1000 nm	
For door width	450 mm.	5 J mm	
Premea grey base	5 3.29.923	J48.29.924	

Flex Corner® corner unit with Saphir mesh chrome wire baskets



F et wir in	900 mm	1000 mm	
r door w'ath	450 mm	500 mm	
Saphir Lesh	548.29.213	548.29.214	

Flex Corner® corner unit with Clase 2 ch me ire L sket



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Classic linear chrome	548.29.203	548.29.204	

Flex Corner® corner unit with Classic silver wire baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Classic linear silver	548.29.903	548.29.904	

Flex Corner® pull out corner unit complete set

> Installed height: 530 mm > Built-in depth: 480 mm

- > For minimum cabinet width 900 mm or 1000 mm
- > Clearance between rear of front baskets and cabinet door when unit is fully extended is 45 mm
- > Every set comes complete with fixing materials and fitting instructions
- > Set includes:

1x Frame set:

Hanging frames and base mounting track; silver epoxy coated tubular

Front and back frames; silver epoxy coated tubular steel

1x Basket set:

2x Storage baskets (rear)



















Manual pull-out action - rear baskets extend outside of cabinet allowing full access

TCH DESIGN 2017, © Häfele U.K. Ltd 2017. Dimensional

HAFELE

Flex Corner® corner unit with Premea white solid base chrome wire baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Premea white base	548.29.233	548.29.234	

Flex Corner® corner unit with Premea grey solid base silver wire baskets



For cabinet width 900 m. 100 mm
For door width +50 mm 500 mm
Premea grey bas 48 3.923 548.29.924

Flex Corner® corner unit with Saphir mesh chrome wire baskets



For cabin width	900 mm	1000 mm
Nor de a width	450 mm	500 mm
Sar nir mesh	548.29.213	548.29.214

Flex Corner® corner unit with C'assic c. w wire bar lets



For cabinet width	900 mm	1000 mm
For door width	450 mm	500 mm
Classic linear chrome	548.29.203	548.29.204

Flex Corner® corner unit with Classic silver wire baskets



For cabinet width	900 mm	1000 mm	
For door width	450 mm	500 mm	
Classic linear silver	548.29.903	548.29.904	

Section 1