


Startec mortice bathroom/WC lock



- > Latchbolt operated by lever handles, deadbolt operated by turn/emergency release
- > Case: Steel, 15 mm wide
- > Forend: Square or radius. Stainless steel, 24 mm wide
- > Strike plate: Square, flat. Included. Stainless steel
- > Followers: 8 mm for latch and 8 mm for deadbolt. For use with sprung or unsprung furniture, 8 mm turn
- > DIN left and DIN right, reversible
- > Holed for bolt through furniture at 38 mm centres
- > Approved CF 5395 Certifire
- > Suitable for use in FD30/60 & 90 minute Timber fire doors when fitted with the accompanying fire protection intumescent kit. These cylinder locks have been tested on a min. 44 mm thick timber door for 30 mins fire resistance or min. 54 mm thick doors for 60 mins fire resistance
- > CE marked
- > Tested in accordance with BS EN 12209
- > Order qty: 1 pc

BS EN 12209


3 S 8 1 0 F - B G 2 0



Backset 55 mm, case size 84 mm

Finish	Square forend	Radius forend
Satin stainless steel	911.02.149	911.02.157
Graphite black, PVD coated	911.25.432	911.25.204

Intumescent fire protection kit



- > Universal intumescent lock packs for mortice lockcases shown above
- > For large case mortice Sash, Bathroom, Deadlock and Latch cases
- > Mono-Ammonium Phosphate (Interdens® MAP) material
- > Self-adhesive backing
- > Tested in accordance with BS EN 1634-1 and BS 476: part 22 1987
- > Colour: White
- > Order qty: 1 pc

950.11.010 REPLACED BY 911.01.992
950.11.011 REPLACED BY 911.01.993



Fire rating	Lock / Forend + Striker	Cat. No.
FD 30/60	1 mm / 2mm material	911.01.992
FD 90	2 mm / 2mm material	911.01.993



Copper finishes are also available to order on request - please contact us for further information



Most of the products you will find in this catalogue are available within 24 hours. However, to be able to offer the breadth of range in our collection, a small number of products have a longer lead time that is typically around 14 days. Please call 0800 171 2909 for an accurate delivery date when you see this symbol.

PAGE AMENDED
14.09.23/4