

HÄFELE SLIDO F-PARK72 50A


1

Unique soft close pivot system for single leaf doors that open and pivot into a pocket.



- > Häfele Slido F-Park72 50A
- > Range:
 - For door height: **1200-1400 / 1990-2200 / 2200-2700 mm**
 - For cabinet depth: **560/665 mm + door thickness**
 - Door width: **200-700 mm**
 - Door weight for 3 hinges: **30 kg**
 - Door weight for 5 hinges: **50 kg**
 - Door thickness: Parking pocket for 1 door **18-30 mm**, parking pocket for 2 doors **18-25 mm**
- > For left and right hand use
- > Set for 1 door comprises of pivot assembly with backing panel, hinges and sliding mechanism
- > Running gear guided by ball bearing mounted runners


Application



Cabinet versions with 1 to 4 door leaves, parking pocket each for 1 or 2 doors leaves

Installation dim.



Internal installation depth 560 mm



Section top view closed (parking pocket for 1 door)

Installation dim.

Internal installation depth 665 mm



Section top view open (parking pocket for 1 door)

Calculation


Cabinet width = A

Door width = A + 50 mm

Door overlay D = B - 560 (665) mm + 126 mm

Drilling pattern for cabinet side panel


Centre drill holes relatively to door position



Drilling pattern for door

Door height 1200-1400 mm or 1990-2200 mm, 3 hinges, 30 kg


Door height 2200-2700 mm, 5 hinges, 50 kg




Connecting profile set

Connecting profile set for top and bottom cover of parking pockets


Parking pocket for 1 door, profile at top and bottom



Parking pocket for 2 doors, profile at top and bottom




Connecting profile width 55 mm: Door thickness 18-30 mm



*Dim. in accordance with the furniture manufacturer's choice

The fixing plates for parking pockets for 1 door must be groove mounted on the cabinet side panel


Connecting profile width 110 mm: Door thickness 18-25 mm



*Dim. in accordance with the furniture manufacturer's choice


Parking pockets for 2 doors do not require recess

Order reference for Vorfront



Parking pocket for 1 door

Parking pocket for 2 doors



T = door thickness
C = door height


Please order all components separately

Component	3 parking pockets for 1 door	1 parking pocket for 1 door + 1 parking pocket for 2 doors
A - Set for 1 door	3	3
B - Connecting profile set for 1 door (top and bottom)	3	1
C - Connecting profile set for 2 doors (top and bottom)	-	1




Slido F-Park72 50A set, Infornt/Vorfront, plus connecting profiles and accessories, shown on pages 1.117

Order reference for Infront



Parking pocket for 1 door

Parking pocket for 2 doors



T = door thickness
C = door height

! With infront constructions, the side panel must be removable for mounting the fittings



Please order all components separately

Component	3 parking pockets for 1 door	1 parking pocket for 1 door + 1 parking pocket for 2 doors
A - Set for 1 door	3	3



Slido F-Park72 50A set, Infront/Vorfront, plus connecting profiles and accessories, shown on pages 1.116

Order reference in recess, without cabinet base panel



T = door thickness
C = door height



With recess constructions, the side panel with thickness ≥ 30 mm must be removable for mounting the fittings


Please order all components separately

Component	3 parking pockets for 1 door
A - Set for 1 door	3



Slido F-Park72 50A set, Infort/Vorfront, plus connecting profiles and accessories, shown on pages 1.117

Häfele Slido F-Park72 50A complete set



> Order qty: 1 set



Additional hinge




The mechanisms are ready for installation, it is not necessary to remove or prepare components. The total door leaf plus hinge should be fixed to the aluminium bar of the system




Door height	Door weight	Internal installation depth	For 1 door
1200-1400 mm	30 kg	560 mm	408.45.004
1200-1400 mm	30 kg	665 mm	408.45.005
1990-2200 mm	30 kg	560 mm	408.45.024
1990-2200 mm	30 kg	665 mm	408.45.025
2200-2700 mm	50 kg	560 mm	408.45.026
2200-2700 mm	50 kg	665 mm	408.45.027
Additional hinge (1 pc)			408.45.400

Cover rail for parking pocket



For 1 door



For 2 doors

- > Connecting profile set for connection and cover at top and bottom
- > Set for 2 doors running in opposite directions, door thickness each max. 25 mm
- > Set consists of:
 - 1x rail 1550 mm length (customer to cut to length of 775 or 675 mm),
 - 8x fixing plates, 2x covers, Fixing material
- > Silver coloured anodised aluminium
- > Order qty: 1 set



Suitable for	Rail length	Cat. No.
For 1 door	775 mm	408.45.112
For 2 doors	675 mm	408.45.108