KARNDEAN PALIO CORE LUXURY VINYL FLOORING

Quick and easy 2G™ click-locking mechanism and built in underlay. Robust construction means it can be installed over most existing and uneven floors, without extensive subfloor preperation or the worry of imperfections appearing underfoot.

- Choose when you need quick, simple installation with minimal downtime. If your floor is still drying out, such as new build developments. You need superior acoustics between floors. You are working on a historical building with structural limitations or preservation requirements. You need to install over an existing hard floor
- Suitable for living space, bedroom, bathroom, kitchen, conservatory and commercial
- Quick and easy to install with minimal tools needed, just a utility knife and straight edge to score and snap
- Waterproof: Won't swell, crack or warp when wet
- Durable: The natural appearance of wood and stone but the durability and resilience of luxury vinyl
- Low maintenance: Clean easily with a sweep and mop
  No sanding, varnishing or staining
- Compatible with underfloor heating up to 27°C
- Highly realistic: Designed by Karndean's in-house product team to perfectly replicate real wood and stone
- Soft, warm and quiet: No cold tiles, no clicking shoes
- Hygienic: Unlike carpets, Karndean doesn't hold dust, dirt, pollen or other allergens
- Up to 30 year residential warranty
- Product material: Expanded polymer core (EPC)
- Surface treatment: PU coating, British standard: EN 16511 - Pass (Multilayer modular floor covering panels)
- Water resistant: Waterproof
- Slip resistance rating: DS / R10
- Thermal resistance: 0.052 m²K/W
- Reaction to fire: Bfl-S1
- Phthalate free
- Edging: Micro edging
- Order scotia separately, if required, i.e. keeping existing skirting boards in place

CORE PLANK



Arezzo



Bolsena



Modena



Gallina



Barletta



Monza

CORE HERRINGBONE



Modena



Monza

CORE TILE



Pienza



Cetona



Carini



Modena herringbone



Pienza

DATA SHEET 2013. © Häfele U.K. Ltd 2013. Dimensional data not binding. We reserve the right to alter specifications without notice.

Karndean Palio Core plank, 1220 x 179 x 6.5 mm



- 1 pack covers 2.184 square meters
- Suitable for heavy commercial or heavy domestic
- Installation: 2G click-locking mechanism
- Suitable for underfloor heating, Max. 27°C
- Wear layer thickness: 0.55 mm
- Manufacturers warranty: Commercial 15 years / Residential 30 years
- Order qty: 1 pc = 1 pack of 10 planks

Finish	Cat. No.
Arezzo	984.80.013
Bolsena	984.80.017
Modena	984.80.075
Gallina	984.80.070
Barletta	984.80.072
Monza	984.80.074

Order scotia separately, if required, i.e. if keeping existing skirting boards in place

Karndean Palio Core Herringbone, 596 x 149 x 6.5 mm



- 1 pack covers 1.954 square meters
- Suitable for heavy commercial or heavy domestic
- Installation: 2G click-locking mechanism
- Suitable for underfloor heating, Max. 27°C
- Wear layer thickness: 0.55 mm
- Manufacturers warranty: Commercial 15 years / Residential 30 years
- Order qty: 1 pc = 1 pack of 22 planks

Finish	Cat. No.
Modena	984.80.078
Monza	984.80.077

Order scotia separately, if required, i.e. if keeping existing skirting boards in place

Karndean Palio Core tile, 600 x 307 x 6.5 mm



- 1 pack covers 1.842 square meters
- Suitable for heavy commercial or heavy domestic
- Suitable for underfloor heating, Max. 27°C
- Wear layer thickness: 0.55 mm
- Manufacturers warranty: Commercial 15 years / Residential 30 years
- Order qty: 1 pc = 1 pack of 10 tiles

Finish	Cat. No.
Pienza	984.80.022
Cetona	984.80.023
Carini	984.80.080


Order scotia separately, if required, i.e. if keeping existing skirting boards in place

DATA SHEET 2013, © Häfele U.K. Ltd 2013. Dimensional data not binding. We reserve the right to alter specifications without notice.

Karndean Palio scotia, 17.3 x 17.3 x 2400 mm



- Length: 2400 mm
- For use with Palio Core
- Order qty: 1 pc



Finish	Cat. No.
Arezzo	984.80.131
Bolsena	984.80.132
Modena	984.80.133
Gallina	984.80.134
Barletta	984.80.135
Monza	984.80.136
Pienza	984.80.137
Cetona	984.80.138
Carini	984.80.139

DATA SHEET 2013, © Häfele U.K. Ltd 2013. Dimensional data not binding. We reserve the right to alter specifications without notice.